

## Binary Merger of Gamma Ray Burst with Kilonova

## Why in News?

Recently, a rare astronomical event involving a compact binary merger emitting long Gamma Ray Burst (GRB) twinned with a kilonova emissions was reported. This never before scientifically accepted or proven combination was also confirmed by India's largest optical telescope, Devasthal Optical Telescope (DOT).


- The GRB lasted for over 50 seconds and identified as GRB211211A.
- Kilonovae occur when two compact objects, like binary neutron stars or a neutron star and a black hole, collide.

## What are Gamma-Ray Bursts?

#### About:

- GRBs are massive but extremely bright, high-energy short gamma radiations which get released when massive stars collapse or die in the Universe.
- They are the most powerful events in the universe, detectable across billions of lightyears.
  - A light-year is the distance a beam of light travels in a single Earth year, or 9.5 trillion kilometers.
- Astronomers classify them as long or short based on whether the event lasts for more or less than two seconds.

# Gamma-Ray Bursts (GRBs): The Long and Short of It Long gamma-ray burst (>2 seconds' duration) A red-giant star collapses onto its core.... Stars\* in a compact binary system begin to spiral inward.... ...becoming so dense that it expels its outer layers in a ...eventually supernova colliding. explosion. has at its center a powerful black hole. Torus Gamma rays





### Long GRBs:

- They observe long bursts in association with the demise of massive stars.
- When a star much more massive than the Sun runs out of fuel, its core suddenly collapses and forms a black hole.
  - Black hole refers to a point in space where matter is so compressed as to create a gravity field from which even light cannot escape.
- As matter swirls toward the black hole, some of that escapes in the form of two **powerful jets** that rush outward at almost the speed of light in opposite directions.
- Astronomers only detect a GRB when one of these jets happens to point almost directly toward Earth.
- Each jet drills through the star, producing a pulse of gamma rays the highest-energy form of light - that can last up to minutes. Following the burst, the disrupted star then rapidly expands as a supernova.
  - A supernova is the name given to an exploding star that has reached the end of its life.

### Short GRB:

- Short GRB, on the other hand, forms when pairs of compact objects such as neutron stars, which also form during stellar collapse - spiral inward over billions of years and collide.
  - A neutron star comprises one of the possible evolutionary end-points of high mass stars.

## **UPSC Civil Services Examination, Previous Year Question (PYQ)**

Q. Recently, scientists observed the merger of giant 'blackholes' billions of light-years away from the Earth. What is the significance of this observation? (2019)

- (a) 'Higgs boson particles' were detected.
- (b) 'Gravitational waves' were detected.
- **(c)** Possibility of inter-galactic space travel through 'wormhole' was confirmed.
- (d) It enabled the scientists to understand 'singularity'.

Ans: (b)

Source: IE

PDF Refernece URL: https://www.drishtiias.com/printpdf/binary-merger-of-gamma-ray-burst-with-kilonova

