



Japanese Encephalitis

Why in News?

A study conducted in **Gorakhpur district, India**, involving 266 children vaccinated with the Chinese SA-14-14-2 vaccine ([a live, attenuated vaccine](#)) for [Japanese encephalitis](#), found very low levels of **neutralising antibodies IgG** at different time points after vaccination.

- However, the study did not measure **cell-mediated immune responses** ([T-cell immune responses](#))

What does the Study on Vaccine for Japanese Encephalitis Suggest?

- About:
 - The study found that **seroprotection** against the virus decreased in the vaccinated children.
 - **Seroprotection** is an antibody response capable of preventing infection, e.g., after a vaccination or a previous infection with a microorganism.
 - Nearly **98% of the children who received the vaccine did not have any IgG antibodies** against the virus.
 - **Similar results were seen in a study carried out in Bangladesh**, where children were immunised with the Chinese vaccine.
- **Comparison with Other Vaccine:**
 - In contrast, a trial carried out using an **inactivated vaccine** ([Jenvac](#)), developed by [Bharat Biotech](#) in collaboration with NIV Pune has **found superior protection** at the end of two years even with a single dose.
 - Jenvac has been approved as a **single-dose vaccine**.
 - The **November 2020** trial found that **two doses of Jenvac** produced more antibodies than two doses of the Chinese vaccine.

What is Japanese Encephalitis?

- **About:**
 - **Japanese Encephalitis (JE)** is a **viral infection** that can cause inflammation in the **brain**.
 - It is caused by a flavivirus that **belongs to the same genus as dengue, yellow fever and West Nile viruses**.
 - Japanese encephalitis virus (JEV) is also a major cause of [Acute Encephalitis Syndrome \(AES\)](#) in India.
- **Transmission:**
 - The disease is transmitted to humans through bites from **infected mosquitoes** of the **Culex species**.
 - These mosquitoes breed mainly in **rice fields** and large water bodies rich in **aquatic vegetation**.
- **Treatment:**
 - There is **no antiviral treatment for patients** with JE.
 - Treatment, available, is **supportive to relieve symptoms** and stabilise the patient.

▪ **Prevention:**

- **Safe and effective JE vaccines** are available to prevent the disease.
- **JE vaccination** is also included under the **Universal Immunisation Program** of the Government of India.






What are Antibodies?

- **About:** An **antibody is a protein produced by the body's immune system** when it detects harmful substances, called antigens.
- **Types:** There are **5 types of heavy chain constant regions** in antibodies (immunoglobulin) and according to these types, they are classified into IgG, IgM, IgA, IgD, and IgE.
 - **IgG is the main antibody in blood and it has a powerful ability to bind to bacteria and toxins**, and thus it takes on an important role in the biological defense system. It is the only isotype that can pass through the placenta, and **IgG transferred from the mother's body protects a newborn.**

sciennotes.org

5 Types of Antibodies

Antibodies or immunoglobulins (Ig) are Y-shaped proteins that recognize unique markers (antigens) on pathogens.

				
IgA	IgD	IgE	IgG	IgM
Secreted into mucous, saliva, tears, colostrum. Tags pathogens for destruction.	B-cell receptor. Stimulates release of IgM.	Binds to mast cells and basophils. Allergy and antiparasitic activity.	Binds to phagocytes. Main blood antibody for secondary responses. Crosses placenta.	Fixes complement. Main antibody of primary responses. B-cell receptor. Immune system memory.

UPSC Civil Services Examination, Previous Year Question (PYQ)

Q.1 Which one of the following statements best describes the role of B cells and T cells in the human body?(2022)

- (a) They protect the environmental allergens. body
- (b) They alleviate the body's pain and inflammation.
- (c) They act as immunosuppressants in the body.
- (d) They protect the body from the diseases caused by pathogens

Ans: (d)

Q.2 Consider the following statements: (2017)

1. In tropical regions, Zika virus disease is transmitted by the same mosquito that transmits dengue.
2. Sexual transmission of Zika virus disease is possible.

Which of the statements given above is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

Ans: (c)

[Source: TH](#)

PDF Refernece URL: <https://www.drishtias.com/printpdf/japanese-encephalitis-2>

