



Large Ozone Hole Detected Over Antarctica

For Prelims: [Ozone hole](#), [Volcanic eruptions in Tonga](#), [Greenhouse gas effect](#), [Montreal Protocol](#), [World Ozone Day](#)

For Mains: Mechanism Behind Ozone Hole, Ozone Holes and Climate Change.

Source: IE

Why in News?

Satellite measurements over [Antarctica](#) have revealed a massive [ozone hole](#), or "ozone-depleted area," stirring concerns. The **European Space Agency's Copernicus Sentinel-5P satellite** captured this significant anomaly.


- While it is not likely to **exacerbate warming on the surface of Antarctica**, this phenomenon raises questions about its **causes and potential ties to climate change**.

What is the Ozone Layer?

- The ozone layer, **found in the stratosphere** ([good ozone](#)), acts as a protective gas shield that **absorbs harmful ultraviolet (UV) radiation**, safeguarding us from the adverse effects of excessive UV exposure.
- **Skin cancer rates** are significantly influenced by UV radiation, underscoring the importance of preserving the ozone layer.

What is an Ozone Hole?

- **About:**
 - An ozone hole is a **region of the stratosphere over Antarctica** where the **ozone layer is exceptionally depleted**.
 - The ozone hole is **not technically a "hole" where no ozone is present**. Scientists use the word hole as a metaphor for the area in which ozone concentrations drop below the **historical threshold of 220 Dobson Units**.
 - The size of the **ozone hole over Antarctica varies from year to year**, typically **opening in August and closing by November or December**.
 - This annual fluctuation is driven by unique climatic conditions over the region.



▪ **Mechanism Behind Ozone Hole:**

- The opening of the **ozone hole is a result of the [Earth's rotation](#)**, which generates specific winds over the enclosed landmass of Antarctica.
 - The **polar vortex, a band of strong winds around the poles**, plays a vital role in ozone hole dynamics.
- During winter, polar vortex forms due to temperature differences and acts as a **protective barrier**, keeping **polar air separate from warmer**, lower-latitude air.
 - This isolation creates a cold environment for **polar stratospheric clouds (PSCs), which trigger ozone-depleting reactions**.
 - The chemical reactions that occur on the surface of PSCs are responsible for the activation of chlorine and bromine compounds. These compounds, particularly chlorine, are **catalysts in ozone-depleting reactions**. When exposed to sunlight, they trigger the breakdown of ozone molecules.
- The **size and strength of the polar vortex directly impact ozone depletion**. When it weakens in spring, mixing with warmer air from lower latitudes **gradually closes the ozone hole**, replenishing the ozone layer.

▪ **Cause of the Ozone Hole in 2023:**

- Scientists suspect that the substantial ozone hole observed in 2023 may be attributed to **[volcanic eruptions in Tonga](#)** during **December 2022 and January 2023**.
- Unlike conventional volcanic eruptions, which generally release gasses confined to the lower atmosphere, this **eruption propelled a significant amount of water vapor into the stratosphere**.
 - This water vapor, in addition to other ozone-depleting elements like **bromine and iodine**, impacted the ozone layer through chemical reactions, altering its heating rate.

Note

- While the Antarctic ozone hole in 2023 is likely linked to a natural event, it's essential to acknowledge that in the **1970s**, human activities, specifically the widespread use of **chemicals called chlorofluorocarbons (CFCs)**, were responsible for significant ozone depletion.
 - The use of these gasses as **propellants in aerosol cans** released chlorine into the stratosphere, contributing to ozone depletion.
- **Ozone Holes and Climate Change:**
 - Ozone depletion is not considered a **primary driver of global climate change**. However, there are indications that rising global temperatures may influence the behavior of ozone holes.
 - Recent instances of significant ozone holes have been linked to climate change, particularly the **occurrence of wildfires**.
 - The increased frequency and intensity of wildfires, **often fueled by climate change**, inject more **smoke into the stratosphere**, potentially contributing to further ozone depletion.
 - While ozone holes may have a **cooling effect**, reducing the **greenhouse gas effect**, (the loss of ozone means slightly more heat can escape into space from that region), they can also **alter the progression of seasons**, leading to **prolonged wintertime conditions**.

Note

- In response to the ozone depletion crisis, the international community recognized the need for action, leading to the **Vienna Convention in 1985** and the subsequent **Montreal Protocol in 1987**.
 - **World Ozone Day (16th of September)** is observed every year to commemorate the signing of the Montreal Protocol.

What is Copernicus Sentinel 5P Satellite?

About COPERNICUS SENTINEL-5P

WHAT
Sentinel-5 Precursor, or Sentinel-5P, is the first mission of the European Union's Copernicus Programme dedicated to monitoring Earth's atmosphere

WHEN
Sentinel-5P
13 Oct 2017
The satellite was launched into orbit on 13 October 2017 onboard the Rocket launcher from the Plesetsk cosmodrome in Russia

WHERE
The mission was designed and built by a consortium of 30 companies led by Airbus Defence and Space in the UK and the Netherlands. It is the result of a collaboration between ESA, the European Commission, the Netherlands Space Office, industry, data users and scientists

SCIENCE
The mission's data have resulted in the publication of hundreds of scientific papers that tackle numerous important issues, including the impact of industries around the world on greenhouse gas emissions, the effect of coronavirus restrictions on air quality, and many more

DATA AND USERS
Approximately 1 terabyte of Copernicus Sentinel-5P data is downloaded by users every day. As of September 2022, there are some 590,000 registered users of Copernicus Sentinel data.
DATA ACCESS? scihub.copernicus.eu/

OBJECTIVE
The aim of the mission is to deliver measurements of key constituents of the atmosphere with high spatiotemporal resolutions, supporting the monitoring and forecasting of air quality, ozone and UV radiation, and the climate, as well as many more applications that benefit society and the environment

INSTRUMENT
Copernicus Sentinel-5P carries the TROPospheric Monitoring Instrument (TROPOMI), a state-of-the-art spectrometer that maps the global atmosphere every day, with a resolution as high as 5.5 km × 3.5 km and a swath of some 2600 km

APPLICATIONS
Copernicus Sentinel-5P data are fed into several Copernicus Services, including the Copernicus Atmosphere Monitoring Service (CAMS) and the Copernicus Climate Change Service (C3S), helping European businesses and governments address key societal and environmental challenges

CONTINUITY
The mission reduces gaps in the availability of global atmospheric data between ESA's Envisat satellite – which was operational from 2002 to 2012 – and the future Copernicus Sentinel-4 and Sentinel-5 missions

UPSC Civil Services Examination, Previous Year Question (PYQ)

Q1. Which one of the following is associated with the issue of control and phasing out of the use of ozone depleting substances? (2015)

- (a) Bretton Woods Conference
- (b) Montreal Protocol
- (c) Kyoto Protocol
- (d) Nagoya Protocol

Ans: (b)

Q2. Consider the following statements: (2012)

Chlorofluorocarbons, known as ozone-depleting substances, are used

1. in the production of plastic foams
2. in the production of tubeless tyres
3. in cleaning certain electronic components
4. as pressurizing agents in aerosol cans

Which of the statements given above is/are correct?

- (a) 1, 2 and 3 only
- (b) 4 only
- (c) 1, 3 and 4 only
- (d) 1, 2, 3 and 4

Ans: (c)