

Insect-Based Livestock Feed

Source: TH

Why in News?

India is promoting **insect-based livestock feed** as a sustainable and climate-friendly alternative to **conventional animal feed**, aiming to combat **antimicrobial resistance (AMR)** and reduce the **environmental footprint** of animal farming.

 It has been initiated by ICAR in partnership with research institutes like Central Institute of Brackishwater Aquaculture (CIBA) & Central Marine Fisheries Research Institute.

What is Insect-Based Feed?

- About: Insect-based livestock feed is a protein-rich alternative derived from insects such
 as black soldier flies (Hermetia illucens), crickets, small mealworms (Alphitobius) and Jamaican
 field crickets (Gryllus assimilis).
 - It is used in livestock and aquaculture as a sustainable and circular source of nutrition.
- Working Principle: Insects such as black soldier fly larvae rapidly convert agro and food waste into high-protein biomass (up to 75% protein) within 12-15 days, enabling quick and cost-effective feed production.
 - The resulting proteins **enhance gut health in animals**, reducing the need for antibiotics and helping combat **antimicrobial resistance** (AMR).
 - The leftover frass serves as an **organic fertiliser**, supporting **closed-loop**, **sustainable farming**.
- Significance:
 - Nutritional and Economic Value: Insect-based feed is rich in up to 75% protein, along with essential fats, zinc, calcium, iron, and fibre.
 - It offers better digestibility than soy or fishmeal, while being cost-effective and suitable for large-scale livestock and aquaculture due to lower land, water, and input requirements.
 - Supports Food Security and Fights AMR: With meat production expected to double by 2050, insect-based feed aligns with FAO's projection of a 70% rise in global food demand. Its gut-health benefits reduce dependence on antibiotics, helping to tackle antimicrobial resistance (AMR) in animal farming.
 - Promotes Environmental Sustainability: Insect farming results in lower greenhouse gas (GHG) emissions, reduces land degradation, and has a smaller environmental footprint compared to conventional feed sources.
 - It supports **climate-smart agriculture** and helps conserve natural resources.
 - **Drives Circular Economy:** Insects are reared on **organic waste** (e.g., agro and food waste), converting it into **high-quality protein and fats**.
 - The leftover frass serves as an organic fertiliser, enabling a closed-loop, zerowaste production model.
 - Global Acceptance and Indian Push: Insect-based feed is already approved in over
 40 countries for use in poultry, aquaculture, and livestock.

• In India, ICAR and startups like Loopworm and Ultra Nutri India are piloting it for shrimp, seabass, poultry, and cattle, reflecting growing domestic scalability and adoption.

What is Antimicrobial Resistance (AMR)?

- About AMR: AMR occurs when <u>bacteria</u>, <u>viruses</u>, <u>fungi</u> and <u>parasites</u> no longer respond
 to antimicrobial medicines.
 - This makes **antibiotics and other treatments ineffective**, leading to infections that are harder to treat, and increasing the risk of **severe illness**, **disability**, **and death**.
- Prevalence of AMR: AMR is among the top global health and development threats. In 2019, bacterial AMR caused 1.27 million deaths and contributed to 4.95 million deaths globally.
 - According to the WHO, AMR may result in an additional USD 1 trillion in healthcare costs by 2050, and cause USD 1-3.4 trillion in annual GDP losses by 2030.
- Common Drug-Resistant Pathogens in India:
 - E. coli (gut infections): Resistance rising; susceptibility to carbapenem dropped from 81.4% (2017) to 62.7% (2023).
 - **Klebsiella pneumoniae (pneumonia/UTI):** Resistance to two key carbapenems fell from **58.5% to 35.6%**, and **48% to 37.6%** (2017–2023).
 - Acinetobacter baumannii (hospital infections): Already highly drug-resistant; shows no major change but remains difficult to treat.




ANTIMICROBIAL



RESISTANCE

The ability of microorganisms to resist the effects of antimicrobial drugs



CAUSES OF **AMR**

- Poor infection control/sanitation
- Antibiotic overuse
- Genetic mutations of microbe
- Lack of investment in R&D of new antimicrobial drugs

Microbes that develop AMR are called 'Superbugs'

IMPACTS OF AMR

- ↑ Risk of spreading infections
- Makes infections harder to treat; prolonged illness
- ↑ Healthcare costs

EXAMPLE

- Carbapenem antibiotics stop responding due
- to AMR in K. pneumoniae
- AMR Mycobacterium tuberculosis causing
- Rifampicin-Resistant TB (RR-TB)
- Drug-resistant HIV (HIVDR) making antiretroviral (ARV) drugs ineffective

RECOGNITION BY WHO

- Identified AMR as one of the top 10
 threats to global health
- Launched GLASS (Global Antimicrobial Resistanceand Use Surveillance System) in 2015

INDIA'S INITIATIVES AGAINST AMR

- Surveillance of AMR in microbes causing TB, Vector Borne diseases, AIDS etc.
- National Action Plan on AMR (2017) with One Health approach
- Antibiotic Stewardship Program by ICMR

New Delhi metallo- β -lactamase-1 (NDM-1) is a bacterial enzyme, emerged from India, that renders all current β -lactam antibiotics inactive

UPSC Civil Services Examination, Previous Year Questions (PYO)

Prelims

- Q. What is the importance of using Pneumococcal Conjugate Vaccines in India? (2020)
 - 1. These vaccines are effective against pneumonia as well as meningitis and sepsis.
 - 2. Dependence on antibiotics that are not effective against drug-resistant bacteria can be reduced.
 - 3. These vaccines have no side effects and cause no allergic reactions.

Select the correct answer using the code given below:

- (a) 1 only
- (b) 1 and 2 only

(c)	3	on	ly	
(d)	1	, 2	and	3

Ans: (b)

Q. Which of the following are the reasons for the occurrence of multi-drug resistance in microbial pathogens in India? (2019)

- 1. Genetic predisposition of some people
- 2. Taking incorrect doses of antibiotics to cure diseases
- 3. Using antibiotics in livestock farming
- 4. Multiple chronic diseases in some people

Select the correct answer using the code given below.

- (a) 1 and 2
- (b) 2 and 3 only
- (c) 1, 3 and 4
- (d) 2, 3 and 4

Ans: (b)

Q. Widespread resistance of malarial parasite to drugs like chloroquine has prompted attempts to develop a malarial vaccine to combat malaria. Why is it difficult to develop an effective malaria vaccine?(2010)

- (a) Malaria is caused by several species of Plasmodium
- (b) Man does not develop immunity to malaria during natural infection
- (c) Vaccines can be developed only against bacteria
- (d) Man is only an intermediate host and not the definitive host

Ans: (b)

PDF Refernece URL: https://www.drishtijas.com/printpdf/insect-based-livestock-feed