



Decline in India's Cotton Production

For Prelims: [Cotton](#), [Bt cotton](#), [Genetically modified \(GM\) crop](#), [whitefly](#), [Pink bollworm](#), [Kasturi Cotton](#)

For Mains: Challenges in India's Cotton Production, Role of Biotechnology in Agriculture


[Source:IE](#)

Why in News?

India, once the world's largest [cotton](#) producer and exporter, is facing a significant decline in cotton production, primarily due to the lack of technological advancements and policy inaction.

What are the Reasons for Decline in India's Cotton Production?

- **Initial Growth: Hybrid Cotton Varieties** developed by Indian scientists like C.T. Patel and B.H. Katarki in the 1970s, has significantly improved yields.
 - [Bt \(*Bacillus thuringiensis*\) cotton](#), introduced in 2002-03, used genes from bacterium *Bacillus thuringiensis* to protect against pests like the **American bollworm**.
 - By 2013-14, it covered over **95% of India's cotton area**, doubling yields to 566 kg per hectare (kg/ha). This helped India become the world's top cotton producer by 2015-16 and a major exporter.
- **Stagnation after Success:** Despite the success of **Bt** and [Bollgard-II technologies](#), India has not approved any **new genetically modified (GM) crops** cotton variants since 2006.
 - Indigenous innovations, such as [whitefly-](#) and [pink bollworm-resistant cotton](#) developed by Indian institutions, remain stuck in regulatory limbo.
 - The 2010 moratorium on [Bt brinjal](#), despite [Genetic Engineering Appraisal Committee \(GEAC\)](#) clearance, set a precedent for halting field trials of other GM crops, preventing the introduction of new technologies to improve cotton production.
- **Infestation:** The decline in cotton production in India is primarily due to the increased infestation of the pink bollworm (PBW). Initially, Bt cotton provided effective pest control, but over time, **PBW developed resistance to Bt proteins**.
 - This pest now infests crops as early as **40-45 days after sowing**, damaging bolls and flowers.
 - The exclusive cultivation of Bt cotton has contributed to this resistance, leading to significant reductions in both the quality and quantity of cotton lint.
- **Impact on Production:** India's cotton production, which reached 39.8 million bales in 2013-14, is expected to drop to 29.5 million bales by 2024-25, with yields falling below 450 kg/ha, far below global leaders like China (1993 kg/ha).



- **Technological Interventions:** Expedite regulatory clearance for pest-resistant and high-yielding GM cotton hybrids (e.g., whitefly-resistant and pink bollworm-resistant varieties).
- **Promotion of High-Density Planting System (HDPS):** Expand the adoption of [HDPS across cotton-growing states](#) to increase plant population per unit area and improve yield.
- **Farmer-Centric Extension Services:** Scale platforms like [Cott-Ally](#) to provide real-time updates on MSP, weather, pest alerts, and procurement logistics.
 - Enhance agricultural extension through [Krishi Vigyan Kendras](#) and the [Cotton Corporation of India](#) to disseminate best farm practices.
- **Post-Harvest and Market Reforms:** Expand [“Kasturi Cotton” branding](#) with QR-code traceability to ensure quality assurance in global markets.
 - Operationalize the five-year [Mission for Cotton Productivity \(announced in Budget 2025-26\)](#) to enhance yield, ensure sustainability, and promote Extra-Long Staple cotton cultivation (known for their superior quality, softness, and durability), thereby reducing import dependence.
 - Encourage investment in spinning, weaving, and garmenting sectors linked with cotton clusters to ensure holistic sectoral growth.

Drishti Mains Question:

Discuss the impact of Bt cotton on India’s cotton production and analyze the reasons behind the stagnation in its success.

UPSC Civil Services Examination Previous Year Question (PYQ)

Prelims

Q1. The black cotton soil of India has been formed due to the weathering of (2021)

- (a) brown forest soil
- (b) fissure volcanic rock
- (c) granite and schist
- (d) shale and limestone

Ans: (b)

Q2. A state in India has the following characteristics: (2011)

1. Its northern part is arid and semi-arid.
2. Its central part produces cotton.
3. Cultivation of cash crops is predominant over food crops.

Which one of the following states has all of the above characteristics?

- (a) Andhra Pradesh
- (b) Gujarat
- (c) Karnataka
- (d) Tamil Nadu

Ans: (b)

Mains

Q. Analyse the factors for the highly decentralised cotton textile industry in India.

PDF Refernece URL: <https://www.drishtiias.com/printpdf/decline-in-india-s-cotton-production>

