

## Avian Flu Outbreak at Ranchi Farm

## Why in News?

Recently, authorities culled a total of 325 birds after detecting an avian flu case at a poultry farm of Birsa Agriculture University (BAU) in Ranchi. They also sanitized the entire affected zone.

# **Key Points**

#### Containment Measures:

- Officials assured that there is no need for panic as it was a localized incident
  affecting guinea fowls that were kept for research purposes in the farm.
- Authorities will map and notify areas within a one-kilometer radius of the outbreak.
- Places within a 10-kilometer radius will remain under surveillance.

#### H5N1 Detection:

- Around 150 guinea fowls died over the past 20 days at the farm, located in a veterinary college.
- The <u>ICAR-National Institute of High Security Animal Diseases (NIHSAD)</u>, Bhopal, confirmed the presence of the H5N1 avian influenza A virus in the samples.

#### Union Government's Directives:

- The <u>Union Ministry of Fisheries</u>, <u>Animal Husbandry</u>, <u>and Dairying</u> instructed the state to implement containment measures, including:
  - · Declaring infected and surveillance areas
  - Restricting access to affected premises
  - Culling birds to prevent further spread

### State Government's Response:

- The state animal husbandry department issued an advisory and standard operating procedure (SOP):
  - Prohibiting the sale and purchase of birds in the affected area.
  - Establishing a control room, which will be operational soon.

### Avian Influenza

#### About:

- Avian influenza, often referred to as bird flu, is a highly contagious viral infection that primarily affects birds, particularly wild birds and domestic poultry.
- In 1996, highly **pathogenic avian influenza H5N1 virus** was first identified in domestic waterfowl in Southern China. The virus is named **A/goose/Guangdong/1/1996.**

#### Transmission to Humans and Related Symptoms:

- Human cases of H5N1 avian influenza occur occasionally, but it is difficult to transmit the
  infection from person to person. As per <u>World Health Organisation(WHO)</u>, when people
  do become infected, the mortality rate is about 60%.
  - It can range from mild flu-like symptoms, including fever, cough, and muscle aches, to severe respiratory issues like pneumonia, difficulty breathing, and even cognitive problems such as altered mental status and seizures.

# **Indian Council of Agricultural Research (ICAR)**

- It was established on 16 July 1929 as a registered society under the Societies Registration Act, 1860.
- It is an **autonomous organisation** under the Department of Agricultural Research and Education (DARE), **Ministry of Agriculture and Farmers Welfare**, Government of India.
- It is headquartered at New Delhi.

